

【物资采购】

上海振华重工（集团）股份
有限公司南通分公司

紧急公开采购文件

使用说明

一、《物资采购紧急公开采购文件范本》适用于物资采购紧急公开采购。

二、《物资采购紧急公开采购文件范本》用相同序号标示的章、节、条、款、项、目，供

紧急公开采购人和投标人选择使用；以空格标示的由紧急公开采购人填写的内容，紧急公开采购人应根据紧急公开采购项目具体特点和实际需要具体化，确实没有需要填写的，在空格中用“/”标示。

三、紧急公开采购人按照《物资采购紧急公开采购文件范本》第一章的格式发布紧急公开采购公告或发出投标邀请书后，将实际发布的紧急公开采购公告或实际发出的投标邀请书编入出售的紧急公开采购文件中，作为投标邀请。

四、《物资采购紧急公开采购文件范本》第三章“评标办法”分别规定综合评估法和经评审的最低投标价法两种评标方法，供紧急公开采购人根据紧急公开采购项目具体特点和实际需要选择适用。紧急公开采购人选择适用综合评估法的，各评审因素的评审标准、分值和权重等由紧急公开采购人自主确定。国务院有关部门对各评审因素的评审标准、分值和权重等有规定的，从其规定。

第三章“评标办法”前附表应列明全部评审因素和评审标准，并在本章前附表标明投标人不满足要求即否决其投标的全部条款。

五、《物资采购紧急公开采购文件范本》第五章“供货要求”由紧急公开采购人根据行业标准物资采购紧急公开采购文件（如有）、紧急公开采购项目具体特点和实际需要编制，并与“投标人须知”、“通用合同条款”、“专用合同条款”相衔接。

上海振华重工南通分公司1002001081中远秘鲁3台门机吊索具采购项目
物资采购

(紧急公开采购编号: ZPMC (NT) -ZB2024-01-024)

紧急公开 采购文件

紧急公开采购人: 上海振华重工(集团)股份有限公司南通
分公司

二〇二四年一月二十四日

目录

第一卷.....	6
第一章 紧急公开采购公告（适用于公开紧急公开采购）.....	6
1. 紧急公开采购条件.....	6
2. 项目概况与紧急公开采购范围.....	6
3. 投标人资格要求.....	6
4. 紧急公开采购文件的获取.....	7
5. 投标文件的递交.....	7
6. 联系方式.....	7
第二章 投标人须知.....	错误！未定义书签。
1. 总则.....	错误！未定义书签。
2. 紧急公开采购文件.....	错误！未定义书签。
3. 投标文件.....	错误！未定义书签。
4. 投标.....	错误！未定义书签。
5. 开标.....	错误！未定义书签。
6. 评标.....	错误！未定义书签。
7. 合同授予.....	错误！未定义书签。
8. 纪律和监督.....	错误！未定义书签。
9. 需要补充的其他内容.....	错误！未定义书签。
第三章 评标办法（经评审的最低投标价法）.....	错误！未定义书签。
1. 评标方法.....	错误！未定义书签。
2. 评审标准.....	错误！未定义书签。
3. 评标程序.....	错误！未定义书签。
第四章 合同条款及格式.....	错误！未定义书签。
第一节通用合同条款.....	错误！未定义书签。
第二节合同附件格式.....	错误！未定义书签。
第二卷.....	错误！未定义书签。
第五章 供货要求.....	错误！未定义书签。
一、项目概况及总体要求.....	错误！未定义书签。
二、物资需求一览表.....	错误！未定义书签。
三、质量标准.....	错误！未定义书签。
四、验收标准.....	错误！未定义书签。
五、相关服务要求.....	错误！未定义书签。
第三卷.....	错误！未定义书签。
第六章 投标文件格式.....	错误！未定义书签。
一、投标函.....	错误！未定义书签。
二、法定代表人（单位负责人）身份证明.....	错误！未定义书签。
三、授权委托书.....	错误！未定义书签。
四、联合体协议书.....	错误！未定义书签。
五、投标保证金.....	错误！未定义书签。
六、商务和技术偏差表.....	错误！未定义书签。
七、分项报价表.....	错误！未定义书签。
八、资格审查资料.....	错误！未定义书签。
九、投标物资质量标准的详细描述.....	错误！未定义书签。
十、技术支持资料.....	错误！未定义书签。
十一、相关服务计划.....	错误！未定义书签。

十一、信用承诺书.....错误！未定义书签。
十二、其他资料.....错误！未定义书签。

第四卷 其他附件.....错误！未定义书签。

第一卷

第一章紧急公开采购公告

上海振华重工南通分公司1002001081中远 秘鲁3台门机吊索具采购项目物资采购 紧急公开采购公告

1. 紧急公开采购条件

本紧急公开采购项目 上海振华重工南通分公司1002001081中远秘鲁3台门机吊索具采购项目 (项目名称) 紧急公开采购人为 上海振华重工(集团)股份有限公司南通分公司, 紧急公开采购项目资金 来自 紧急公开采购人 (资金来源), 出资比例为 100%。该项目已具备紧急公开采购条件, 现对 吊索具 (物资名称) 采购进行公开紧急公开采购。

2. 项目概况与紧急公开采购范围

本项目技术要求为 《附件1: 外发图纸》《附件2: 吊索具采购技术规格书》, 需按 《附件1: 外发图纸》《附件2: 吊索具采购技术规格书》 要求制作执行。(说明工程建设项目的建设地点、规模、建设工期、标段划分和本次 紧急公开采购采购物资的名称、数量、技术规格、交货地点、交货期等)。

3. 投标人资格要求

3.1 本次紧急公开采购要求投标人须具备

- (1) 法人资格, 能独立承担民事责任;
- (2) 具有良好的商业信誉和财务会计制度;
- (3) 具有履行合同所必需的设备和专业技术能力;
- (4) 环境管理、职业健康及安全管理实施情况及绩效说明 (拥有 14001\45001 体系证书可免于提供);
- (5) 近三年发生如生产安全事故, 环保事故、分包商员工职业健康问题等被有关部门进行行政处罚或有异常信用记录的, 应提供书面分析改进报告。(未如实陈述者, 我司有权取消中标资格及其他处罚措施。)
- (6) 相关资质或代理证书
- (7) 近 3 年内有类似相关成功有效业绩 1 例以上 (有效业绩的定义: ①合同为同类型相关项目; ②须提供该业绩合同的复印件 (包括但不限于合同首页、双方盖章页、总金额页); ③须提供该业绩合同的项目验收证明 (如: 业主证明或完工证明、验收报告等) 或该业绩合同的所有收款凭证, 以证明除验收、质保外其他阶段付款均已支付, (该业绩合同的项目验收证明或该业绩合同的所有收款凭证可二选一提供); ④所有证明文件在必要时需提供纸质原件备查。)

3.2 本次紧急公开采购 不接受 (接受或不接受) 联合体投标。联合体投标的, 应满足下列要求: /。

4. 紧急公开采购文件的获取

4.1 凡有意参加投标者，请于2024年01月31日12时至2024年02月02日16时（北京时间，下同），登录中交集团供应链管理信息系统<http://ec.ccccltd.cn>完成投标报名并提交资格预审资料，待资格预审通过后下载电子紧急公开采购文件。

4.2 紧急公开采购文件每套售价¥，售后不退。

4.3.1 已在网并且已通过紧急公开采购人层级供应商或已增加紧急公开采购人为合作单位的供应商、上级供应商可直接报名参与。

4.3.2 在网平级单位供应商未增加紧急公开采购人为合作单位需进行合作意向申请通过后报名参与。

4.3.3 未注册供应链系统的单位需进行注册，推荐单位或合作意向单位选择紧急公开采购人，审核通过后方可报名参与。

5. 投标文件的递交

5.1 投标文件递交的截止时间（投标截止时间，下同）为2024年02月06日10时00分，投标人应在截止时间前通过递交投标文件。

5.2 逾期送达的投标文件，中交集团供应链管理信息系统将予以拒收。

5.3 电子采购的供应商报价文件由电子报价表及附件共同组成。当电子报价表与附件内容冲突时，应以电子报价表的数据为准。

6. 联系方式

招 标 人：上海振华重工（集团）股份有限公司南通分公司

地 址：江苏省南通市经济技术开发区振华1号

联 系 人：唐工

电 话：15162779212

电子邮件：tangjie@zpmc.com

技术联系人：顾工 电话：15162778428

技术联系人邮箱：guxiaobo@zpmc.com

户 名：上海振华重工（集团）股份有限公司南通分公司

开户银行：中国农业银行南通经济技术开发区支行

税 号：91320600782089782G

帐 号：10727001040234395

二〇二四年一月二十六日

递交投标报名资料清单：

(1) 企业法人营业执照正副本复印件（具有统一社会信用代码的营业执照，增值税一般

纳税人资格证明，代理经销商需同时提供自身及源头生产厂家）；

(2) 法定代表人、被授权人及联系人身份证复印件；

(3) 企业情况简介；

(4) 法定代表人授权委托书（附件3）；

(5) 近3年承担的相关业绩证明；

(6) 经会计事务所审计的近三年财务会计报告或财务报表；

(7) ISO 9001\14001\45001 及其他管理体系证书（代理经销商需同时提供自身及源头生产厂家）；

(8) 环境管理、职业健康及安全管理实施情况及绩效说明（拥有 14001\45001 体系证书可免于提供）；

(9) 近3年发生的生产安全事故的状况描述，尤其说明发生一般及以上生产安全事故的情况；

(10) 近3年的环保处置情况描述，尤其说明发生的突发环境事件、受到环保主管部门处罚的情况；

(11) 近3年的企业及受控分包商员工的职业健康情况描述，尤其说明发生职业病的情况；

(12) 适用时，行政许可资质复印件；

(13) 企业的专业技术人员情况；

(14) 代理商、经销商、服务商等提供授权证书。制造商对授权贸易商经销产品质量责任承担的说明书（授权书已包含可免）。无授权贸易商货源渠道说明及正品承诺书。（本项要求仅适用于代理商、经销商、服务商）

(15) 贸易安全管理告知书（附页）。

附件 1.

项目投标报名表

上海振华重工（集团）股份有限公司：

我单位申请参加贵单位组织的 XXXXXXXXXX 的投标（招标编号：XXXXXXXXXX），并遵守招标投标程序及有关规定。我方拟派_____担任本项目的联系人，全权代表我单位处理本次投标中的有关事务，并签署全部有关文件、协议及合同。我单位对授权联系人的签名负全部责任。具体情况如下，如有失实，由我方承担相应责任。

投标单位（人）名称	
企业性质	
注册地址	
项目联系人 及身份证号码	
联系电话/手机	
传 真	
E-mail	
通 信 地 址	
邮 政 编 码	
报名单位（公章）：	
备注：以上《投标报名表》信息必须完整准确填写，若由于投标方报名信息填写不完整准确造成的一切后果，招标方一概不负责。	

附件 2 法定代表人授权委托书

上海振华重工（集团）股份有限公司：

兹委派我单位_____（姓名）（身份证号：_____）参加贵单位组织的
XXX工程项目招标活动（招标编号：XXXX-XXX），全权代表我单位处理本次投标中的
的有关事务，并签署全部有关文件、协议及合同。

如若中标，我方授权_____（姓名）（身份证号：_____）与贵方签署各
类经济合同。

被授权人对外的一切活动均代表我公司行为，我方将对其行为负全部法律责
任。

本授权书于签字盖章后生效，在贵部收到撤销授权的书面通知以前，本授权书
一直有效。被授权人签署的所有文件不因授权的撤消而失效。

授权代表人无转委托。特此委托。

附法定代表人情况（身份证复印件）：

--	--

附全权代表情况（身份证复印件）：

--	--

授权单位（盖章）：

法定代表人（签字）：

日期： 年 月 日

附件 3 贸易安全管理告知书 Trade Safety Management Notification

尊敬的供应商 Dear supplier:

我司目前为海关高级认证企业，作为与我司合作的商业伙伴，现要求贵司按照海关高级认证中有关贸易安全标准优化要求完善自身的贸易安全管理，具体标准请见附件，请知晓本告知书和附件内容要求，对本告知书盖章或签字后回传。

Our company is an AEO senior certification enterprise. As a business partner of our company, now your company is required to improve your own trade safety management according to the optimization requirements of the relevant trade safety standards in the AEO senior certification. Please see the attachment for the specific standards. Please kindly be aware of the requirements of this notification and the attachment and give the sealed or signed notification to us.

上海振华重工（集团）股份有限公司

Shanghai Zhenhua Heavy Industries Co., Ltd.

振华重工 ZPMC:

我司已阅读并知晓贵司以上要求并将遵照执行。

We have read and understood the above requirements of your company.

商业伙伴名称 Name of Business Partner: _____

被授权人签字 The Signature of the Authorized Person: _____

日期 Date: _____

附件 Attachment:

海关认证企业贸易安全标准

Trade Safety Standard of AEO Enterprise

1.场所安全控制方面

1. Safety of material handling site and warehouse

有检查、阻止未载明的货物和未经许可的人员进入场所、货物装卸和储存区域的书面制度和程序；进出口货物进出的区域设有隔离措施，以防止未经许可的人员进入。

There is a checking procedure to prevent unmarked goods and unauthorized personal access to site specific. There are written policies and procedures for cargo handling and storage areas. There are isolation measures for import and export goods in and out of the region, preventing unauthorized access.

1.1 大门和传达室：车辆、人员进出的大门配备人员驻守。

1.1 Gate: Guard stationed for both staff and vehicle entrance & exits.

1.2 建筑结构：建筑物的建造方式能够防止非法闯入。定期对建筑物进行检查和修缮，确保其完好无损。

1.2. Building structures: The way buildings are built can prevent illegal entry. Regular inspection and repair of buildings to ensure that the buildings are in good condition.

1.3 照明：企业生产经营场所应配备充足的照明，包括以下区域：出入口，货物装卸和储存区，围墙周边及停车场/停车区域。

1.3. Lighting: The sites of production and business operation are equipped with adequate lighting, including the following areas: entrances and exits, cargo handling and storage area, fence and parking lot / parking area.

1.4 报警系统及视频监控摄像机：装配报警系统和视频监控摄像机，监测以下区域：出入口，货物装卸和储存区，围墙周边及停车场/停车区域。监控保留 45 天以上。

1.4. Safety alarm and intelligent video surveillance system: In order to prevent unauthorized access to cargo storage and working areas, safety alarm and intelligent video surveillance system cover following areas: entrance & exits, cargo handling and storage areas, fence and parking lot / parking area.

1.5 存储区域：在货物装卸和储存区域，以及用于存放进出口货物的区域，设有隔离设施，以阻止任何未经许可的人员进入。

1.5. Storage area: Isolation facilities should be set to prevent unauthorized personnel access in the cargo handling and storage areas, as well as in the storage area of goods to be imported and exported.

1.6 锁闭装置及钥匙保管：所有内外窗户，大门和围栏都设有足够数量的锁闭装置。管理层或者保安人员保管所有锁和钥匙。

1.6. Locking devices and key keeping: All internal and external windows, doors and fences should be equipped with sufficient locking devices. Management or security personnel keep all locks and keys.

2.进入安全控制方面

2. Safety of personnel and vehicle access

企业实行门禁管理。有员工、访客进出的书面制度和程序，保护公司的财产。

Enterprises implement access control management. There are written systems and procedures to implement the entry and exit of employees and visitors and to protect the company's assets.

2.1.员工:有员工身份识别系统，对员工进行身份识别和入职控制。对员工和访客的身份标识(如钥匙、门卡等)的发放和回收进行统一管理和登记。

2.1. Employees : There is an employee identification system, which carries out identification and entry control for employees. Unified management and registration are carried out for the issuance and recycling of identity marks of employees and visitors (e.g. keys, key cards, etc.).

2.2.访客:进入企业的访客应检查身份证照片并进行登记。访客应佩戴临时身份证件，并由内部工作人员陪同。

2.2.Visitors: Visitors entering the enterprise should check the ID card with photos and register. Visitors should wear temporary identification and be accompanied by internal staff.

2.3.未经许可进入的身份不明人员:未经许可进入的身份不明人员有识别、查询和确认的程序，员工应及时报告可疑人员的进入。

2.3. Unidentified persons without entering permission : There are rocedures for identification, inquiry and confirmation of unidentified persons without entering permission. Employees should report entry of suspicious person in time.

3.人员安全

3. Personnel safety

公司有书面的制度和程序来审查待聘员工和定期审查现有员工，并提供一份员工名单，包括姓名、出生日期、担任职位、身份证号码，可以实时更新。

The company has written systems and procedures for reviewing employees to be hired and regularly reviewing existing employees, and provides a list of employees, including name, date of birth, id number for holding positions which can be updated in real time.

3.1.入职前验证:在聘用员工之前，需要对申请信息(如工作经历、推荐信等)进行验证。

3.1. Pre-employment verification: Before hiring an employee, verification of the application information (e.g. employment experience, recommendation letter, etc.) is needed.

3.2.背景调查:在录用员工之前，要对其是否有犯罪记录等安全背景进行检查或调查。一旦录用，要根据员工的工作表现，对敏感、重要岗位的员工进行定期审查和重新调查。

3.2. Background survey : Before hiring an employee, it should be checked or investigated for the safety background such as whether there is a criminal record or not. Once hired, regular reviews and re-surveys should be conducted to employees in sensitive and important positions on the basis of employee performance.

3.3.员工离职程序:员工离职或停职，应及时追回工作证件和设备，禁止员工进入企业生产经营现场，禁止员工使用企业信息系统，有书面制度和程序。

3.3. Procedure of the employees leave: There are written systems and procedures for timely recovery of work certificates and equipment for employees leaving or suspending their jobs, who should be forbidden to enter the production and operation sites of

enterprises and to use enterprise information systems.

3.4.安全培训:对员工进行供应链安全意识的日常培训,他们需要了解企业对出现安全情况的反应和报告程序。

3.4. Safety training: Employees should be provided with daily training on supply chain security awareness. They need to understand the enterprise's response to a certain situation and reporting procedures.

4.商业伙伴的安全

4. Safety of business partner

企业有书面的制度和程序来评估、要求和检查商业伙伴的供应链安全。

Enterprises have written systems and procedures for assessing, requiring, and inspecting the supply chain safety of business partners.

4.1.综合评估:在筛选商业伙伴时,应按照本认证标准对商业伙伴进行综合评估,重点关注合规性和贸易安全,有书面制度和程序。

4.1. Comprehensive assessment: In screening business partners, a comprehensive assessment of business partners should be conducted in accordance with this certification standard, focusing on compliance and trade safety, with written systems and procedures.

4.2.书面文件:要求商业合作伙伴按照本认证标准在合同、协议或其他书面材料中优化和完善贸易安全管理。

4.2. Written documents: Commercial partners are required to optimize and improve trade safety management in contracts, agreements or other written materials in accordance with this certification standard.

4.3.监督检查:定期监督或检查业务合作伙伴对贸易安全要求的遵守情况,还需要书面制度和程序。

4.3. Monitoring and Inspection: Monitoring or inspecting business partners' compliance with trade safety requirements regularly. Written systems and procedures are also required.

5.货物安全控制方面

5. Cargo safety

对于货物的运输、搬运和存放过程制定了相应的控制措施和程序。

Enterprises have measures and procedures to ensure the integrity and safety of goods in the supply chain during transportation, handling and storage.

5.1.货物的装运和验收:到达的货物必须与货物单据上的信息相符。货物的重量、标签、件数或箱数应核实。离岸货物应当与购货单或者发货单的内容核对。在货物交付的关键环节设置签章、盖章等保护制度。

5.1. Shipment and acceptance of goods: The goods arriving must correspond to the information on the goods document. The weight, label, number of pieces or number of boxes of the goods should be verified. Offshore goods should be verified with the contents of purchase or shipment orders. Protecting system such as signing and sealing should be set in the key link of the goods delivery.

5.2.货物差异:在出现货物溢、短装或者其他异常现象时,本企业有相应的应对措施并有书面制度和程序。

5.2. Discrepancy of the goods: The enterprise should report timely or take corresponding measures when the goods are found short or over or abnormal. Written systems and procedures are also required.

6.集装箱安全控制方面

6. Container safety

有措施和程序来确保集装箱的完整性，以防止未经授权的货物或人员进入。

There are measures and procedures to ensure the integrity of containers so as to prevent the entrance of unauthorized goods or personnel.

6.1.集装箱检验:在装货前检查集装箱结构的物理完整性和可靠性，包括门的锁闭系统的可靠性，并做好相关登记。建议进行七点检查，即按照以下顺序检查集装箱:前墙、左侧、右侧、地板、顶部、内/外门、外/起落架。

6.1. Container inspection: The physical integrity and reliability of the container structure, including the reliability of the locking system of the door should be inspected before loading. Relevant registration should be made. A seven-point inspection is recommended, which is to check containers in the following order: front wall, left side, right side, floor, top, inside/outside door, outside/landing gear.

6.2.集装箱封条:对装货集装箱施加高安全度的封条，所有封条都符合或者超出现行 PAS ISO 17712 对高度安全封条的标准，封条有专人管理、登记。有施加和检验封条的书面制度和程序，以及封条异常的报告机制。

6.2. Container seal: High security seals should be attached to loaded containers. All seals should meet or exceed the current PAS ISO 17712 standards for high security seals, being supervised and sealed by specially-assigned person. There are written policies and procedures applied for attachment and inspection of the seal. Reporting mechanism should be set for abnormal seal.

6.3.集装箱存储:本企业集装箱保存在安全的区域，以防止未经许可的进入或者改装，有报告和解决未经许可擅自进入集装箱或者集装箱存储区域的程序。

6.3. Container storage: The container should be kept in a safe area to prevent unauthorized entry or modification. Procedures should be set for reporting and resolving unauthorized access to containers or container storage areas.

7.运输工具安全控制方面

7. Vehicle safety

企业有书面制度和程序，以确保运输(拖车和手推车)的完整性，并防止未经授权的人员或物品混入。

Enterprises have written systems and procedures to ensure the integrity of transport (trailers and hand cars) and to prevent unauthorized persons or items from being mixed in.

7.1. 运输工具的检查程序: 有专门程序或制度检查出入运输工具，防止藏匿可疑物品。

7.1. Transport inspection procedures: There should be a specific program or system to check all transportation vehicles, preventing the concealment of suspicious items.

7.2.运输工具存储: 运输工具停放在安全的区域，以防止未经许可的进入或者其他损害，有报告和解决未经许可擅自进入或者损害的程序。

7.2. Transportation vehicles storage: Transportation vehicles should be parked in a safe area to prevent unauthorized entry or other damages. Procedures should be set for reporting and resolving unauthorized entry or damage.

7.3.司机身份核实: 在货物被接受或者发放前，应对装运或者接收货物驾驶员进行身份认定。

7.3.Verification of driver's identity: The driver's identity should be verified before the goods are received or issued.

8.危机管理

8. Crisis management

企业有书面的系统和程序来处理异常情况，如灾害或紧急安全事件。

Enterprises have written systems and procedures for dealing with abnormal situations such as disasters or emergency safety incidents.

8.1.应急机制对于灾害或紧急安全事件等异常情况，已设置应急程序或机制进行报告和处理。

8.1. Emergency mechanism: Emergency procedures or mechanisms have been set for reporting and dealing with abnormal situations such as disasters or emergency safety incidents.

8.2.应急培训:应对员工安排应急培训。

8.2. Emergency training: Emergency training should be arranged for employees.

8.3.异常报告:发现灾害、紧急安全事故等异常情况、违法或可疑活动的，应当向海关或其他相关执法机构报告。

8.3.Report of the abnormal: If any abnormal situation, illegal or suspicious activity, such as disaster or emergency safety accident, is found, it shall be reported to the Customs or other relevant law enforcement agencies.